# Dell Solutions

outlet

2009 - 2010

m@dd®
electronics group

DELL

www.pcmadd.com

# Contents


Dell XPS™ NOTEBOOKS 04
XPS M1330, XPS 1530, XPS 1730

Dell Inspiron™ NOTEBOOKS 05
Inspiron Studio 1535, Inspiron Studio 1735, Inspiron 1525

Dell Vostro™ NOTEBOOKS 06
Vostro 1000, Vostro 1310, Vostro 1510, Vostro 1710

Dell Latitude™ NOTEBOOKS 08
D430, D530, D531, D630, D830, ATG D630 , XT

Dell Precision™ MOBILE WORKSTATIONS 09
M2300, M4300, M6300

Dell XPS™ DESKTOPS 10
XPS One, XPS 420, XPS 630, XPS 730 H2C,

Dell Inspiron™ DESKTOPS 11
Inspiron 530, Inspiron 531, Inspiron 530s, E198WFP

Dell Vostro™ DESKTOPS 12
Vostro 200, Vostro 200s, Vostro 410, E207WFP

Dell OptiPlex DESKTOP™ 13
OptiPlex 330, OptiPlex 740, OptiPlex 755, E228WFP

Dell Precision™ WORKSTATIONS 14
Precision T3400, Precision T5400, Precision T400

Dell PowerEdge™ SERVERS 15
Tower:
PowerEdge SC440, PowerEdge T105, PowerEdge SC1430, PowerEdge T300 PowerEdge 840, PowerEdge 2900 III, PowerEdge T605;

RackMount: 17
PowerEdge R905, PowerEdge R200, PowerEdge R300, PowerEdge R805, PowerEdge 1950 III PowerEdge 2950 III, PowerEdge 2970, PowerEdge R900;

Dell Rack Cabinet: 18
4210

Dell PowerVault™ STORAGE 19
Rackable Type Automation System:
PowerVault ML6000, PowerVault 124T;

Network Storage:
Dell EqualLogic PS5000

Disk Backup: 20
PowerVault RD1000, PowerVault DP500

Direct Attached Storage:
PowerVault MD1000, PowerVault MD1120

Dell Monitors™ 21
SE198WFP, SP2208WFP, E248WFP, 2707WFP

Dell UltraSharp™ Monitors 22
1908WFP, 2009WFP, 2208WFP, 2408WFP

Projectors 23
1209S, M209X, M409WX, 1409X, 1609WX

PRINTERS 25
All in One Inkjet
V105, V305

B/W & Colour Laser Printers 26
5210n, 5310n, 1320c, 5110cn, 3110cn

# Dell XPS™

## Next-generation technology for extreme performance

XPS M1330

A stylish, entertainment and fun featuring blazing Core 2 Duo performance & offering a range of cool multimedia features

- **Processor:** Intel® Core™ 2 Duo T8300 (2.40 GHz, 800 MHz FSB, 3 MB L2 cache)
- **Operating System:** Genuine Windows Vista® Home Premium - English
- **LCD:** 13.3" UltraSharp™ WXGA (1280x800) CCFL (220nits) with TrueLife™
- **Graphics:** 128MB nVidia® GeForce® 8400M GS
- **Memory:** 3072MB 667MHz Dual-Channel DDR2 SDRAM [1x2048+1x1024]
- **Hard Drive:** 320GB (5.400rpm) SATA
- **Optical Devices:** Fixed 8x Slim Slot Load Drive, including SW

XPS M1530

Designed to get the most out of high-definition entertainment powered by very latest Core 2 Duo technology and featuring plenty of memory to crunch through those high density, high definition movies and games

- **Processor:** Intel® Core™ 2 Duo T7250 (2.00 GHz, 800 MHz FSB, 2 MB L2-cache)
- **Operating System:** Genuine Windows Vista® Home Premium - English
- **LCD:** 15.4" Widescreen™ WXGA (1280x800) TFT (220nits) with TrueLife™
- **Graphics:** NVIDIA® GeForce™ Go 8600M GT with 256MB dedicated graphic memory
- **Memory:** 2048MB 667MHz Dual-Channel DDR2 SDRAM [2x1024]
- **Hard Drive:** 250GB (5400RPM) SATA
- **Optical Devices:** Fixed Blu Ray 2X Slim Slot-Load Drive, including SW

XPS M1730

Lethal performance powered by bleeding-edge Core 2 Duo processor performance, dual SLI 512MB NVIDIA® GeForce® 8800M GT graphics & ultra-responsive RAID storage

- **Processor:** Intel® Core™ 2 Duo T9300 (2.50 GHz, 800 MHz FSB, 6 MB L2 cache)
- **Operating System:** Genuine Windows Vista® Home Premium - English
- **LCD:** 17.0" UltraSharp™ WUXGA (1920x1200) TFT with TrueLife™ with Integrated 2.0MP web cam
- **Graphics:** DUAL SLI 512MB NVIDIA® GeForce® 8800GTX card
- **Memory:** 2048MB 667MHz Dual-Channel DDR2 SDRAM [2x1024]
- **Hard Drive:** 320GB Free Fall Sensor Raid 0 Stripe - 2 X 160GB (7200RPM)
- **Optical Devices:** Fixed 8x DVD+/-RW Slim Slot Load drive, including SW

# Dell Inspiron™



## Studio 1535

Get creative and connected with this personalised, hi-def, 15.4" widescreen laptop with rich multimedia features

- **Processor:** Up to Intel® Core™ 2 Duo T9500 (2.6GHz, 6MB L2 Cache, 800MHz FSB)
- **Operating System:** Genuine Windows Vista®
- **LCD:** up to High resolution, glossy widescreen 15.4 inch (1920x1200)
- **Graphics:** up to 256MB ATI® Mobility Radeon HD 3450
- **Memory:** Up to 4GB Dual-Channel 667MHz DDR2 SDRAM
- **Hard Drive:** Up to 320GB configured with a 5400 RPM SATA
- **Optical Devices:** up to 6X Slot Load Blu-ray/CD/DVD Combo

## Studio 1735

At home or on the go, a HD experience is sure to follow with this customisable 17" HD widescreen laptop

- **Processor:** Up to Intel® Core™ 2 Duo T9500 (2.6GHz, 6MB L2 Cache, 800MHz FSB)
- **Operating System:** Genuine Windows Vista®
- **LCD:** up to High resolution, glossy widescreen 17.0 inch (1920x1200)
- **Graphics:** Integrated Intel® Graphic Media Accelerator X310
- **Memory:** Up to 4GB Dual-Channel 667MHz DDR2 SDRAM
- **Hard Drive:** Up to 640GB configured with a dual 5400 RPM SATA
- **Optical Devices:** 6X Slot Load Blu-ray/CD/DVD Combo Drive

## Inspiron 1525

Now you are fully prepared - a powerful, multimedia-optimised laptop: the latest Core 2 Duo multi-tasking performance & remote control for full-on, high-definition digital entertainment combined with an integrated webcam for video chat.

- **Processor:** Intel® Core™ 2 Duo T7250 (2.00 GHz, 800 MHz FSB, 2 MB L2 cache)
- **Operating System:** Genuine Windows Vista® Home Premium - English
- **LCD:** 15.4" Wide Screen WXGA (1280 x 800) with TrueLife™
- **Graphics:** Integrated Intel® Graphic Media Accelerator X310
- **Memory:** 2048MB 667MHz Dual-Channel DDR2 SDRAM [2x1024]
- **Hard Drive:** 160GB (5400RPM)
- **Optical Devices:** 8x DVD+/-RW Optical drive, including SW

# Dell Vostro™

## Designed with small businesses in mind

### Vostro 1000

Everyday Productivity - 15.4" Widescreen

For businesses with simple or no networks who need an affordable solution for handling everyday business tasks..

- **Processor:** Up to AMD Turion™ 64 X2 Dual Core TL-60 (2.0GHz/1MB Cache)
- **Operating System:** Genuine Windows Vista™
- **Memory:** Up to 2GB shared Dual-Channel 533MHz DDR2 SDRAM
- **Hard Drive:** Up to 160GB SATA
- **Graphics:** Integrated ATI Radeon® Xpress 1150 HyperMemory™

### Vostro 1310

Enhanced Storage & Graphics

- **Processor:** Up to Intel® Core™ 2 Duo T9500 (2.60GHz, 6MB L2 Cache, 800MHz FSB)
- **Operating System:** Genuine Windows Vista™
- **LCD:** 13.3" widescreen anti-glare with optional TrueLife™ technology
- **Graphics:** Up 128MB NVIDIA® GeForce™ 8400M GS (64 bit) Graphic Card
- **Memory:** Up to 4GB Dual-Channel 667MHz DDR2 SDRAM
- **Hard Drive:** 5400 RPM hard drives up to 320GB or optional 7200 RPM Free Fall Sensor hard drive at 160GB
- **Optical Devices:** 8X DVD+/-RW

### Vostro 1510

Beast with looks. Enhanced processor & memory with even bigger storage space.

- **Processor:** Up to Intel® Core™ 2 Duo T7800 (2.60GHz,4M L2 Cache,800MHz FSB)
- **Operating System:** Genuine Windows Vista™
- **LCD:** 15.4" widescreen anti-glare with optional TrueLife™ technology
- **Graphics:** Up to 256MB NVIDIA® GeForce® 8600M GT
- **Memory:** Up to 4GB Dual-Channel 667MHz DDR2 SDRAM
- **Hard Drive:** 5400 RPM hard drives up to 320GB or optional 7200 RPM Free Fall Sensor hard drive at 160GB
- **Optical Devices:** 8X DVD+/-RW

### Vostro 1710

Enhanced processor & even larger storage space for critical business on the move.

- **Processor:** Up to Intel® Core™ 2 Duo T9500 (2.6GHz, 6MB L2 Cache, 800MHz FSB)
- **Operating System:** Genuine Windows Vista™
- **LCD:** 17" Wide Screen WUXGA (1920x1200 screen resolution) with TrueLife™
- **Graphics:** 256MB NVIDIA® GeForce® 8600M GT (128bit)
- **Memory:** Up to 4GB Dual-Channel 667MHz DDR2 SDRAM
- **Hard Drive:** 7200RPM: up to 320GB (160X2)
- **Optical Devices:** 8X DVD+/-RW

# Dell Latitude™

## Design to scale with growing business needs



### Latitude D430

Mobile broadband ready. Ultimate portability combined with solid performance

- **Processor:** Up to Intel® Core™ 2 Duo U7700 (1.33GHz)
- **Operating System:** Genuine Windows Vista™
- **LCD:** 12.1" WXGA (1280 x 800 resolution)
- **Graphics:** Intel® Graphics Media Accelerator 950 (Up to 224MB shared)
- **Memory:** Up to 2.0 GB DDR2-533 SDRAM, (1 x 1 GB + 1 GB integrated)
- **Hard Drives:** 80GB 4200RPM

### Latitude D530

High endurance, high performance notebook

Quality and essential features for companies seeking availability, stability, and configurability at an attractive price

- **Processor:** up to Intel® Core™ 2 Duo T7700 (2.40GHz 4MB L2 Cache, 800Mhz FSB)
- **Operating System:** Genuine Windows Vista™
- **LCD:** Up to 15" SXGA+ 1400x1050 resolution
- **Graphics:** Intel® Graphics Media Accelerator X3100
- **Memory:** up to 2.0GB, 667MHz DDR2 SDRAM (2 x 1024MB)
- **Hard Drive:** up to 160GB serial ATA 5400RPM
- **Optical Devices:** up to 8x DVD+/- RW Drive

### Latitude D531

New Business class productivity and control in a robust mobile chassis

- **Processor:** Up to AMD Turion™ 64 X2 Mobile TL-60 (2.0GHz)
- **Operating System:** Genuine Windows Vista™
- **LCD:** up to 15.4" WXGA+ TrueLife™ (250 nits) 1440x900 resolution
- **Graphics:** ATI Radeon Xpress 1270
- **Memory:** Up to 2.0GB, 667MHz DDR2 SDRAM (2 x 1024MB)
- **Hard Drives:** 120GB serial ATA 5400RPM
- **Optical:** 8x DVD+/- RW Drive

### Latitude D630

Mobile broadband ready. Compact design and advanced custom configuration

- **Processor:** Up to Intel® Core™ 2 Duo T8300 (2.4GHz/3MB/800MHz)
- **Operating System:** Genuine Windows Vista™
- **LCD:** Up to 14.1 WXGA+ (1440 x 900 resolution)
- **Graphics:** Intel® Graphics Media Accelerator X3100, Up to 256MB shared
- **Memory:** Up to 2.0GB, 667MHz DDR2 SDRAM (2 x 1024MB)
- **Hard Drives:** 160GB serial ATA 5400RPM
- **Optical:** 8x DVD+/- RW Drive

# Dell Latitude™

## Design to scale with growing business needs

### Latitude D830

Mobile broadband ready. High-performance solution for professionals who require desktop capabilities on the go

- **Processor:** Intel® Core™ 2 Duo T8300 (2.4GHz/3MB/800MHz)
- **Operating System:** Genuine Windows Vista™
- **LCD:** 15.4" WXGA (1280 x 800) UltraSharp Wide Aspect Ratio TFT
- **Graphics:** NVIDIA® Quadro® NVS 140M, up to 512MB
- **Memory:** 2.0GB, 667MHz DDR2 SDRAM (2 x 1024MB)
- **Hard Drives:** 160GB 7200rpm (Free Fall Sensor)
- **Optical:** 8x DVD+/- RW Drive

### Latitude D630 ATG

All terrain laptop with Intel® Core™ 2 Duo.

- **Processor:** Up to Intel® Core™ 2 Duo T8300 (2.4GHz/3MB/800MHz)
- **Operating System:** Genuine Windows Vista™
- **LCD:** 14.1"WXGA (1280 x 800 resolution)
- **Graphics:** Intel® Graphics Media Accelerator X3100, Up to 256MB shared
- **Memory:** Up to 4GB DDR2 SDRAM 667MHz
- **Hard Drives:** 80GB serial ATA 4200RPM (1.8" shock-resistant in 2.5" casing)
- **Optical:** 8x DVD+/- RW Drive

### Latitude XT

One of the thinnest 12.1" convertible tablet PCs – designed for a superb user and ownership experience

- **Processor:** Up to Intel® Core™ 2 Duo U7600 (1.2GHz, 2MB L2 Cache, 533MHz FSB)
- **Operating System:** Genuine Windows Vista™
- **LCD:** 12.1" WXGA (1280 x 800)
- **Graphics:** ATI Radeon Xpress 1250 Integrated Graphics
- **Memory:** up to 2.0GB, 533MHz DDR2 SDRAM
- **Hard Drives:** up to 120GB 1.8" PATA
- **Optical:** up to 8x DVD+/- RW Drive

# Dell Precision™

## Designed for the most demanding business needs



### Precision M2300

Create, analyse and design anywhere! Outstanding performance and mobility in an ISV-certified affordable workstation.

- **Processor:** Up to Intel® Core™ 2 Duo T7800 (2.60GHz, 4MB L2 Cache, 800Mhz FSB)
- **Operating System:** Genuine Windows Vista™
- **LCD:** 14.1" WXGA+ UltraSharp (1440 X 900 resolution)
- **Graphics:** NVIDIA® Quadro® FX 360M
- **Memory:** up to 4.0GB, 667MHz DDR2 SDRAM
- **Hard Drives:** up to 200GB SATA or 32GB Solid State HD
- **Optical:** up to 8x DVD+/- RW Drive

### Precision M4300

Mobile broadband ready. Workstation power & performance meets reliable workstation mobility

- **Processor:** Up to Intel® Core™ 2 Duo T7700 (2.40GHz,4MB L2 Cache)
- **Operating System:** Genuine Windows Vista™
- **LCD:** up to 15.4" WUXGA UltraSharp (200 nits) 1920 X 1200 resolution
- **Graphics:** NVIDIA® Quadro® FX 360M
- **Memory:** up to 4.0GB, 667MHz DDR2 SDRAM
- **Hard Drives:** up to 250GB SATA or 32GB Solid State HD
- **Optical:** up to 8x DVD+/- RW Drive

### Precision M6300

Mobile broadband ready. Maximum mobile performance & best-in-class widescreen graphics

- **Processor:** Up to Intel® Core™ 2 Extreme X9000 (2.80GHz, 6MB L2 Cache, 800MHz FSB)
- **Operating System:** Genuine Windows Vista™
- **LCD:** 17" WUXGA UltraSharp™ (1920 X 1200 resolution)
- **Graphics:** up to NVIDIA Quadro® FX 3600M 512MB
- **Memory:** up to 8.0GB, 667MHz DDR2 SDRAM
- **Hard Drives:** up to 200GB SATA 7200 rpm
- **Optical:** up to 8x DVD+/- RW Drive

# Dell XPS™

Extreme Performance

## XPS ONE

NEW! Stunning design and high performance come together in this sculpted machine with abundant possibilities – enjoy powerful computing, hi-def widescreen viewing and complete multimedia functionality.

- **Processor:** Intel® Core™ 2 Duo E4500 (2.20GHz,2MB,800MHz)
- **Operating System:** Genuine Windows Vista® Home Premium
- **Graphics:** Integrated Intel® Graphics Media Accelerator 3100
- **Memory:** 4GB 667MHz Dual-Channel DDR2 SDRAM [2x1024]
- **Monitors/Displays:** 20" WideScreen TrueLife Display
- **Hard Drives:** 320GB Serial ATA 3Gb/s (7200RPM) w/DataBurst Cache™
- **Optical:** 8X Slot load CD/DVD burner (DVD+/-RW)

## XPS 420

Strikes the perfect balance of performance & rich multimedia features for gaming & rich digital content creation

- **Processor:** Up to Intel® Core™ 2 Duo E8200 (2.66GHz, 6MB, 1333MHz)
- **Operating System:** Genuine Windows Vista® Home Premium - English
- **Graphics:** up to 768MB DDR3 nVidia GeForce 8800GTX
- **Memory:** 4GB 667MHz Dual-Channel DDR2 SDRAM [2x1024]
- **Hard Drives:** up to 1TB 7200 rpm SATA w/ 32M Cache
- **Optical:** up to Blu-Ray ROM Drive (read/write CD/DVD & read Blu-Ray Disc)

## XPS 630

NEW! Kitted out with Quad Core performance, ultra-responsive RAID and high performance graphics, you'll be more than ready to take on any new challenger!

- **Processor:** up to Intel® Core™ 2 Quad-Core Extreme QX6850 (3.00Ghz, 1333MHz FSB, 8MB cache)
- **Operating System:** Genuine Windows Vista™
- **Graphics:** DUAL 512MB NVIDIA® GeForce® 8800GT
- **Physics Accelerator:** AGEIA® PhysX™ physics accelerator (optional)
- **Memory:** Up to 4GB 800MHz Dual-Channel DDR2 SDRAM
- **Hard Drives:** Up to 2TB SATA-II RAID 0 with Dual Hard Drives
- **Optical:** 16x DVD+/-RW4 Drive

## XPS 730

Combines a unique look with innovative internal engineering to deliver a perfect balance of style and performance.

- **Processor:** Intel® Core™ 2 Extreme QX6800 Factory Overclocked to 3.46GHz
- **Operating System:** Genuine Windows Vista®
- **Graphics:** Dual 768MB NVIDIA GeForce 8800 GTX
- **Physics Accelerator:** AGEIA® PhysX™ physics accelerator (optional)
- **Memory:** Up to 4GB Dual-Channel DDR2 SDRAM (667MHz or 800MHz, 2 or 4 DIMMs)
- **Hard Drives:** Up to 2.75TB Multiple Serial ATA
- **Optical:** Multiple DVD+/-RW, Combo, DVD-RO

# Dell Inspiron™

## Cutting-edge technology at an affordable price



### Inspiron 530

Expandable & Powerful

Custom features and contemporary design for multi-media performance

- **Processor:** up to Intel® Core™ 2 Duo E8300 (2.80GHz, 1333MHz, 6MB cache)
- **Operating System:** Genuine Windows Vista™
- **Memory:** up to 4GB Dual-Channel shared DDR2 667 and 800 MHz SDRAM
- **Hard Drives:** up to 750 GB SATA
- **Optical:** Blu-Ray support

### Inspiron 531

Expandable Performance

Custom features and contemporary design for multi-media enjoyment

- **Processor:** AMD® Athlon™ 64 X2 Dual-Core
- **Operating System:** Genuine Windows Vista™
- **Memory:** up to 4GB Dual-Channel shared DDR2 667 and 800 MHz SDRAM
- **Hard Drives:** up to 750 GB SATA
- **Optical:** Blu-Ray support

### Inspiron 530s

Stylish, slim & deceptively powerful, thanks to a Core 2 Duo engine

- **Processor:** up to Intel® Core™ 2 Duo E6550 (2.33GHz, 1333MHz FSB)
- **Operating System:** Genuine Windows Vista™
- **Graphics:** up to 128MB nVidia® GeForce® 8300GS Turbocache
- **Memory:** up to 4GB Dual-Channel DDR2 SDRAM (667MHz)
- **Hard Drives:** max capacity is 640GB HDD.
- **Optical:** 16x max. DVD+/-RW Drive

### E 198 WFP

- **Resolution:** 1280x1024 pixels for clear, sharp images
- **Viewing Angle:** Wide viewing angle of 160° (vertical) and 160° (horizontal)
- **Contrast Ratio & Brightness (typical):** High contrast ratio of 800:1 and up to 300cd/m² brightness for high-quality pictures
- **Response Time (typical):** 5ms response time reduces smearing and ghosting

# Dell Vostro™

## Design with small business in mind

### Vostro 200

Expandable for Small Business

Powerful and reliable, built for small businesses with simple or no networks.

- **Processor:** up to Intel® Core™ 2 Duo E8500 (3.16GHz, 6MB L2 cache, 1333MHz FSB)
- **Operating System:** Genuine Windows Vista™
- **Memory:** up to 4GB
- **Graphics:** Optional discrete graphics card with up to 256MB dedicated memory
- **Hard Drives:** Maximum 1TB with two 500GB hard drives
- **Optical:** up to 16X DVD+/-RW drive

### Vostro 200s

Increased memory & storage space with wide screen monitor for optimum productivity.

- **Processor:** up to Intel® Core™ 2 Duo E8500 (3.16GHz, 6MB L2 cache, 1333MHz FSB)
- **Operating System:** Genuine Windows Vista™
- **Graphics:** up to 256MB NVIDIA® GeForce® 8300GS Turbocache
- **Memory:** up to 3.2GB Dual-Channel DDR2 SDRAM (667MHz)
- **Hard Drives:** Maximum 1TB with two 500GB hard drives
- **Optical:** up to 16X DVD+/-RW drive

### Vostro 410

Massive memory with 500GB storage space for critical business productivity

- **Processor:** Up to Intel® Core™ 2 Quad Q9550 (2.83GHz, 1333FSB, 12MB L2 cache)
- **Operating System:** Genuine Windows Vista™
- **Graphics:** up to 512MB NVIDIA® GeForce™ 8800GT
- **Memory:** Up to 4.0GB 800 MHz SDRAM
- **Hard Drives:** Up to 4 Hard Drives (Maximum 3TB with four 750GB hard drives)
- **Optical:** up to 16X DVD+/-RW drive

### E 207 WFP

- **Resolution:** 1680 x 1050 Pixels
- **Viewing Angle:** Wide viewing angle of 160° (vertical) and 160° (horizontal)
- **Contrast Ratio & Brightness (typical):** 800:1, 300 cd/m²
- **Response Time (typical):** 5ms

# Dell OptiPlex™



## OptiPlex 330



Manageability and performance to suit the essential needs of growing businesses

- **Processor:** up to Intel® Core™ 2 Duo E6750 (2.66GHz, 1333MHz FSB, 4MB L2 cache)
- **Operating System:** Genuine Windows Vista™
- **Graphics:** up to 256MB ATI Radeon HD 2400 PRO
- **Memory:** Two Memory slots offering up to 4GB
- **Hard Drives:** up to 250GB
- **Optical:** up to 16X DVD+/-RW drive

## OptiPlex 740

Solid Business Computing

Energy efficient, mainstream business desktop

- **Processor:** up to AMD Athlon™ 64 X2
- **Operating System:** Genuine Windows Vista™
- **Graphics:** up to ATI Radeon X 1300
- **Hard Drives:** up to 250GB
- **Optical:** up to 16X DVD+/-RW drive

## OptiPlex 755

Robust mainstream desktop designed to meet your needs, now and in the future

- **Processor:** up to Intel® Core™ 2 Quad Q6700 (2.6GHz, 1066 MHz FSB, 2x4MB L2 cache)
- **Operating System:** Genuine Windows Vista™
- **Graphics:** Features dual independent VGA or DVI display support, PCI Express x16; up to 256MB ATI Radeon HD 2400 XT
- **Memory:** Non-ECC dual-channel shared DDR2 SDRAM - supporting 512MB to 8GB
- **Hard Drives:** Up to 250GB SATA 3.0Gb/s 7200 RPM
- **Optical:** up to 16X DVD+/-RW drive

## E 228 WFP

- **Resolution:** 1680 x 1050 Pixels
- **Response time / Brightness / Contrast Ratio:** 5ms / 300cd/m² / 800:1
- **Dimensions (WxDxH) / Weight:** With Stand: 511mm x 149mm x 409mm / 5kg
- **Features:** 100mm VESA® Mounting, Antiglare with Hard-coating 3H
- **Port(s) Total ( Free ) / Connector Type:** Analog (15-pin D-Sub) / Digital (DVI-D) with HDCP, Security Port Slot
- **Dot Pitch:** 0.282mm (Pixel Pitch)

# Dell Precision™

## Design for the most demanding business needs

### Precision™ T3400

ISV Application Certification

Balanced Performance, Scalability and Affordability

- **Processor:** up to Intel® Core™ 2 Quad with 1066MHz FSB, 2x4MB L2 Cache, XD, VT, EIST
- **Operating System:** Genuine Windows Vista™
- **Graphics:** High-performance graphics cards up to 512MB and 150 watts in x16 PCI Express slot
- **Memory:** Up to 8GB Dual-Channel DDR2 SDRAM 533 and 667, non-ECC and ECC
- **Hard Drives:** Up to 2.5TB of integrated SATA storage with support for RAID 0, 1, 5, 10 or up to 900GB SAS storage on mini-tower, 600GB on desktop with support for RAID 0 and 1 with optional SAS/5i PCI-e card.
- **Optical:** up to 16X DVD+/-RW drive

### Precision™ T5400

ISV Application Certification

Uncompromised Performance, Small Footprint

- **Processor:** Up to Quad-Core Intel® Xeon® 3.16GHz (1333MHz FSB, 64-bit, 2X 6MB L2 cache)
- **Operating System:** Genuine Windows Vista™
- **Graphics:** High-performance graphics cards up to 1.5GB memory and up to 225 watts in x16 Gen 2 PCI Express slot
- **Memory:** Up to 32GB Quad-Channel fully buffered DIMM ECC @ 667MHz
- **Hard Drives:** Up to 3.0TB of SATA storage (integrated controller) with host based RAID 0, 1, 5 or up to 900GB SAS storage (600GB on desktop) with optional SAS 6/ir PCI-e card. (With host based RAID 0 and 1)
- **Optical:** up to 16X DVD+/-RW drive

### Precision™ T7400

ISV Application Certification

Ultimate Performance and Scalability

- **Processor:** Quad-Core Intel® Xeon® X5482 up to 3.2GHz (1600MHz FSB, 64-bit, 2X 6MB L2 cache)
- **Operating System:** Genuine Windows Vista™
- **Graphics:** High-performance graphics cards up to 1.5GB memory and up to 330 watts in x16 Gen 2 PCI Express slot
- **Memory:** Up to 64GB Quad-Channel fully buffered DIMM ECC @ 667MHz and 800MHz
- **Hard Drives:** Up to 5.0TB of SATA storage or up to 1.2TB of SAS storage

### SP 2008 WFP

- **Pixel Pitch:** 0.258mm
- **Response Time (Typical):** 2ms (grey-to-grey)
- **Viewing Angle (Typical):** 160° (vertical), 160° (horizontal)
- **Luminance (Brightness):** 300cd/m2 Typical
- **Dynamic Contrast Ratio (Typical):** 2000:1
- **Optimal Resolution:** 1680 x 1050 at 60 Hz
- **Connector Type:** Analog, DVI-D (Digital)

# Dell PowerEdge™



## PowerEdge™ SC440

Basic 1-Socket Tower Server

- **Chassis:** Tower dimensions (not rack-mountable): 17.6" (44.8cm) H 6.8" (17.1cm) W 18.4" (46.7cm) D
- **Memory:** Up to 4GB ECC DDR2-533/667 SDRAM
- **Processor:** Single Intel® Xeon® 3000 sequence up to 2.40GHz; Single Intel® Pentium® D processor up to 2.80GHz; Single Intel® Celeron® D processor up to 2.80GHz
- **Storage:** Up to 1TB maximum internal storage

## PowerEdge™ T105

1-Socket, Dual-Core Tower Server

- **Chassis:** Tower dimensions (not rack-mountable): 16.25" (41.3 cm) H7.36" (18.7 cm) W18" (45.8 cm) D
- **Memory:** Up to 8GB1 ECC DDR-2 SDRAM
- **Processor:** Single AMD Opteron™ Processor 1000 series or Single AMD Sempron™ Processor LE1250
- **Storage:** Up to 1.5TB1 (SATA drives) maximum internal storage SAS and SATA, 3.5 inch drives available

## PowerEdge™ SC1430

2-Socket, Quad-Core Tower Server

- **Chassis:** Tower dimensions: Height: 17.59" (44.7cm) with feet Width: 6.69" (16.99cm) with feet Depth: 18.44" (46.84cm) with feet
- **Memory:** Up to 8GB FBD SDRAM
- **Processor:** Up to 2 Quad-Core 64-bit Intel® Xeon® processors with 2x4MB L2 cache at up to 1.86GHz
- **Storage:** Up to 3TB maximum internal storage

## PowerEdge™ T300

1-Socket, Quad-Core Tower Server

- **Chassis:** Tower dimensions with metal bezel (not rack-mountable): 17.94" (45.57 cm) H
  8.27' (21 cm) W 24.01" (61 cm) D
- **Memory:** Up to 24GB ECC DDR-2 667 MHz SDRAM
- **Processor:** Single Quad-Core Intel® Xeon® Processor 5400 series or Single Quad-Core Intel Xeon Processor 3300 series or Single Intel Core 2 Duo Processor or Single Intel Celeron® Processor
- **Storage:** Up to 4.0TB (SATA drives) maximum internal storage SAS and SATA, 3.5 inch drives available

# Dell PowerEdge™

## PowerEdge™ 840

- **Chassis:** 1-Socket, Quad-Core Tower Server

Tower dimensions (not rack-mountable): 17.28" (43.89 cm) H 7.80" (19.81 cm) W
19.68" (49.99 cm) D

- **Memory:** Up to 8GB ECC DDR2-533/667 MHz SDRAM
- **Processor:** Single Quad Core Intel® Xeon® 3200 series, Single Dual Core Intel® Xeon® 3000 series, Single Intel® Core™ 2 Duo E4000 series, Single Intel® Pentium® Dual-Core 2100 series or Single Intel® Celeron® 440, 2.0GHz, 800MHz front side bus, 512K cache
- **Storage:** SAS or SATA Drives Up to 4.0TB1SATA or 1.6TB1 SAS maximum internal storage

## PowerEdge™ 2900 III

2-Socket High Availability Tower or 5U Rack Server

- **Chassis:** 5U Tower or Rack-mountable chassis. Tower dimensions (without bezel): 18.85" (47.89cm) H w/feet 8.92" (22.66cm) W 26.55" (67.43cm) D
- **Memory:** Up to 32GB FBD (Fully Buffered DIMM) memory
- **Processor:** Up to 2 Quad-core Intel® Xeon® Processors 5400 series or 2 Dual-Core Intel® Xeon® Processors 5200 series
- **Storage:** Up to 7.5TB (SATA drives) maximum internal storage SAS and SATA, 3.5 inch drives available

## PowerEdge™ T605

2-Socket, Quad-Core Tower Server

- **Chassis:** Tower chassis
- **Memory:** Up to 32GB ECC DDR-2 667 MHz SDRAM
- **Processor:** Up to 2 Dual-Core 64-bit AMD Opteron™ processors 2200 series or Quad-Core 64-bit AMD Opteron processors 2300 series
- **Storage:** Up to 3TB maximum internal storage

## PowerEdge™ R905



4-Socket, Quad-Core 4U Rack Server

- **Memory:** Up to 128GB ECC DDR-2 SDRAM
- **Processor:** 4 Quad-Core AMD Opteron™ 8300 series processors, 4 Dual-Core AMD Opteron™ 8200 series processors
- **Storage:** Up to 2.0TB maximum internal storage

# Dell PowerEdge™



## PowerEdge™ R200

1-Socket, Quad-Core 1U Rack Server

- **Memory:** Up to 8GB ECC DDR2-667/800 MHz SDRAM
- **Processor:** Single Quad-Core Intel® Xeon® Processor 3300 series or Single Quad-Core Intel® Xeon® 3200 Series, Single Dual-Core Intel® Xeon® 3000 Series, Single Intel® Core 2 Duo® processor, Single Intel® Pentium® Dual-Core processor or Single Intel® Celeron® processor
- **Storage:** Up to 2TB maximum internal storage

## PowerEdge™ R300

1-Socket, Quad-Core 1U Rack Server

- **Memory:** Up to 24GB ECC DDR-2 SDRAM
- **Processor:** Single Quad-Core Intel® Xeon® Processor 5400 series or Single Quad-Core Intel Xeon Processor 3300 series or Single Intel Core 2 Duo Processor or Single Intel Celeron® Processor
- **Storage:** Up to 2.0TB (SATA drives) maximum internal storage SAS and SATA, 3.5 inch drives available

## PowerEdge™ R805

2-Socket, Quad-Core 2U Rack Server

- **Memory:** Up to 128GB ECC DDR-2 SDRAM
- **Processor:** Two Quad-Core AMD Opteron™ 2300 series processors, Two Dual-Core AMD Opteron™ 2200 series processors
- **Storage:** Up to 292GB maximum internal storage

## PowerEdge™ 1950 III

2-Socket 1U High Availability Rack Server

- **Memory:** Up to 32GB2 FBD (Fully Buffered DIMM) memory
- **Processor:** Up to 2 Quad-core Intel® Xeon® Processors 5400 series or 2 Dual-Core Intel® Xeon® Processors 5200 series
- **Storage:** Up to 1.5TB2 (SATA drives) maximum internal storage SAS and SATA, 2.5 and 3.5 inch drives available

# Dell PowerEdge™

## PowerEdge™ 2950 III

2-Socket, Quad-Core 2U High Availability Rack Server

- **Memory:** Up to 32GB FBD (Fully Buffered DIMM) memory
- **Processor:** Up to 2 Quad-core Intel® Xeon® Processors 5400 series or 2 Dual-Core Intel® Xeon® Processors 5200 series
- **Storage:** Up to 4.5TB (SATA drives) maximum internal storage SAS and SATA drives, 2.5 and 3.5 inch drives available

## PowerEdge™ 2970

2-Socket, Quad-Core 2U High Availability Rack Server

- **Memory:** Up to 64GB ECC DDR-2 SDRAM
- **Processor:** Up to 2 Quad-Core AMD Opteron™ Processors 2300 series or 2 Dual-Core AMD Opteron™ Processors 2200 series
- **Storage:** Up to 4.5TB (SATA drives) maximum internal storage

## PowerEdge™ R900



4-Socket, Quad-Core 4U Rack Server

- **Memory:** Up to 128GB2 FBD (Fully Buffered DIMM) memory
- **Processor:** Up to 4 Quad-Core Intel® Xeon® Processors 7300 series or 4 Dual-Core Intel® Xeon® Processors 7200 series
- **Storage:** Up to 1.5TB (SAS drives) maximum internal storage SAS drives, 2.5 and 3.5 inch drives available

## Dell™ 4210 Rack Cabinet

- full-size 42U rack, offers unprecedented ease-of-access to the front, back, and sides of the installed servers
- added level of security to enhance safe operation of mission critical server and storage systems
- Integrated cable management features in the Dell 4210 Rack Cabinet are designed to bring an end to customers' cable nightmares
- is the ideal enclosure to facilitate the proper cooling and environmental protection of all Dell PowerEdge™, PowerVault™, and PowerApp™ rack-mount products
- is designed to make Dell hardware installation a fast and painless process via the tool free Rapid Rail™

# Dell PowerVault™

## Protect your data



Rachable Type Automation System
PowerVault ML6000

Modular Tape Library

- Flexible, capacity-on-demand scalability allows users to manage data growth
- Proactive monitoring and remote diagnostics can reduce service calls and shorten resolution time
- Intuitive service wizards and e-mail home features help avoid unplanned downtime
- Additional slots can be easily activated through license keys without interrupting library operation
- A single, continuous robot services all drives and media for advanced reliability
- Drive technologies: LTO-3 and LTO-4 Tape drives
- Storage Capacity: 321 TB (native) with a fully loaded 41U, 402 LTO4 cartridge configuration
- Backup Rate: 7776 TB/hr (with 18 LTO4 drives)

Rachable Type Automation System
PowerVault 124T

Single Tape drive 8 or 16 cartridges in a 2U form factor

- **Capacity:** Up to 6.4 TB with LTO3 (native)
- **Technology:** LTO2 or LTO3 Autoloader
- **Storage capacity:** 3.2TB (LTO-2-L) Native, 6.4TB (LTO-3 and LTO-3-060) Native 16 slots Maximum
- **Backup Rate:** 86.4GB/hr (LTO-2-L) Native, 216GB/hr (LTO3-060) Native, 288GB/hr (LTO-3) Native

Dell EqualLogic
PS 5000

Network Storage

EqualLogic PS5000E iSCSI SAN Array

Scalable iSCSI SAN array with excellent cost-per-Gigabyte and up to 16TB storage capacity per array.

- **Number of Hosts:** Up to 512 hosts
- **Drive Quantity:** Eight (8) or sixteen (16) drives per array
- **Expansion Option:** Scale out performance and capacity by adding additional PS Series arrays.
- **Storage Capacity:** Scales up to 192TB per PS Series group
- **Supported Drive Types:** SATA
- **Management Software:** PS Group Manager
- **Bundled Software:**Auto-Replication, Auto-Snapshot
- **Manager with Smart** Copy, Automatic Load Balancing, Auto-Stat Disk Monitoring System, Pooled and Tiered Storage, Roles-based Administration, Thin Provisioning, Volume Consistency Sets, Volume Cloning, Volume Management, Volume Snapshot, Snapshots Scheduler and Auto-Replication

# Dell PowerVault™

Disk Backup
PowerVault RD1000

Small office disk storage backup protects your most critical files on a Dell PowerEdge Server or Dell Precision Workstation

- **Storage Capacity:** Up to 160GB
- **Using a high-capacity, removable disk drive:** 80GB, 160GB, 320GB and 500GB
- **For a Native capacity (GB) 500 GB Compressed capacity (GB) is 1 TB, Burst transfer rate:** Internal SATA 1.5 Gbps/External USB 480 Mbps, Average access time (msec): 15

Disk Backup
PowerVault DP500

- **Protects:** 3500 mailboxes or 800GB SQL database or 20000 GB files with up to 3.5TB of usable disk backup (using optional MD1000 this can be expanded to 97TB)
- **Storage Capacity:** Up to Four 1TB drives, RAID 5
- **Max. 6 HDD SATA only:** 250GB, 500GB, 750GB, 1TB
- **Expansion with MD1000:** Supported (Up to 40TB usable space, including the internal drives)

Direct Attached Storage
PowerVault MD1000



Simple Server Expansion

- **Hard Drives:** Up to fifteen (15) 1-inch-by-3.5-inch SAS hot-pluggable 3.0 Gbps hard drives, at speeds of 10,000 or 15,000 RPM; Up to fifteen (15) 1-inch-by-3.5-inch SATA II hot-pluggable 3.0 Gbps hard drives, at speeds of 7,200 RPM
- **Maximum Capacity (per enclosure):** 7,500GB using fifteen 500GB 7,200 RPM SATA II disk drives in one enclosure
- **Maximum Capacity (per RAID connection):** 45 TB using forty-five 1TB 7,200 RPM SATA II disk drives in three enclosures

Direct Attached Storage
PowerVault MD1120

Simple Server Expansion for Performance

- **Hard Drives:** Up to twenty four (24) 2.5-inch SAS hot-pluggable 3.0 Gbps hard drives, at speeds of 10,000 or 15,000 RPM
- **Maximum Capacity (per enclosure):** 3.5TB using twenty four (24) 146GB 10K SAS disk drives
- **Maximum Capacity (per RAID controller):** 21TB using one hundred forty four (144) 146GB 10K SAS disk drives with 6 enclosures per RAID card (dual-ported PERC 6/E)

# Dell Monitors



## SE 198WFP

- **Monitor Size (Viewable Image Screen):** 19 inches
- **Resolution:** 1440x900 pixels
- **Response Time (typical):** 5ms response time enables crisp and clear images
- **Contrast Ratio:** 1000:1 delivers high colour accuracy and uniformity
- **Connectivity:** Analog and digital (DVI-D) connectivity with HDCP support
- **Colour: Arctic Silver**

## SP2208WFP

- **Monitor Size (Viewable Image Screen):** 22 inches (22-inch viewable image size)
- **Pixel Pitch:** 0.282mm
- **Response Time (Typical):** 2ms (grey-to-grey)
- **Viewing Angle (Typical):** 1600 (vertical), 1600(horizontal)
- **Luminance (Brightness):** 300cd/m2 Typical
- **Dynamic Contrast Ratio (Typical):** 2000:1
- **Optimal Resolution:** 1680 x 1050 at 60 Hz
- **Connector Type:** HDMI, Analog, DVI-D (Digital), Audio Out

Integrated 2.0 megapixel webcam.

## E248WFP

1920 x 1200 native resolution – Stunning detail and more viewable real estate without compromising desk space;

- **Monitor Size and Type:** 24-inch Widescreen
- **Millisecond Response Time:** 5 ms (typical) – Helps reduce ghosting and motion blur when gaming or watching movies;
- **Dynamic Contrast Ratio:** 1000:1– Produces darker blacks for sharper images, crisp text, better colour saturation and greater detail for HD entertainment;

High Definition (HD) – Everything looks better in HD; Dell TrueColor Technology

## 2707WFP

- **Monitor Size and Type:** 27-inch Widescreen LCD Flat Panel Monitor
- **Resolution:** 1920 x 1200 Pixels

Response time / Brightness / Contrast Ratio: 6ms / 450cd/m² / 1000:1

- **Dimensions (WxDxH): With Stand:** 634mm x 243mm x 442mm
- **Features:** 100mm VESA® Mounting, Antiglare with Hard-coating 3H
- **Port(s) Total ( Free ) / Connector Type:** Analog (15-pin D-Sub) / Digital (DVI-D) with HDCP, S-Video. Composite, Component, 9-in-2 Media Card Reader, 4 x USB 2.0 Ports, Security Port Slot
- **Dot Pitch:** 0.303mm (Pixel Pitch)
- **Colour:** Arctic Silver

# Dell UltraSharp™ Monitors

## Broaden your Horizon

### UltraSharp™ 1908WFP

- **Resolution:** 1440 x 900 at 60 Hz
- **Millisecond Response Time:** 5ms
- **Dynamic Contrast Ratio:** 1000:1
- **Brightness:** 300cd/m²

4xUSB 2.0; Height Adjustable Stand Included; VGA+DVI

### UltraSharp™ 2009WFP

- **Resolution:** 1680 x 1050
- **Millisecond Response Time:** 5ms
- **Dynamic Contrast Ratio:** 2000:1
- **Brightness:** 300cd/m²

4xUSB 2.0; Height Adjustable Stand Included; VGA+DVI

### UltraSharp™ 2208WFP

- **Resolution:** 1680 x 1050
- **Millisecond Response Time:** 5ms
- **Dynamic Contrast Ratio:** 1000:1
- **Brightness:** 300cd/m²

4xUSB 2.0; Height Adjustable Stand Included; DVI-D+VGA

### UltraSharp™ 2408WFP

- **Resolution:** 1920 x 1200 Display
- **Millisecond Response Time:** 6 ms (typical) – Reduces ghosting and imaging associated with movement for fluid motion;
- **Dynamic Contrast Ratio:** 3000:1 - Get dark blacks, sharp images, crisp text, brilliant colour saturation and greater life-like detail;

110%2 Colour Gamut (CIE 1976) - With Dell TrueColor Technology, you'll see more colour than average monitor of 72% colour gamut;

Full HD 1080p – Supports higher definition than HD television and a wide array of HD connection options like HDMI, Display Port, DVI-D with HDCP and HDMI 2.1 Audio Out.

# Dell Projectors

## High performance features and connectivity



### Projector 1209S

All you need to make an impression. Get the maximum value and create a long-lasting impactful presentation with the Dell 1209S

- 2500 ANSI Lumens Brightness
- 800 x 600 SVGA Resolution; Deliver consistent SVGA quality with up to 480,000 pixels and auto sync up to 1600 x 1200 UXGA.
- 1800:1 Typical Contrast Ratio (Full On / Full Off)
- DLP® and BrilliantColorTM Technology
- Up to 302.8 inches Projection Size
- Versatile and Flexible
- Quick Shut Down Feature

### Projector M209X

Ultra mobile, ultra light projector. Cutting edge design in a compact frame

- 2000 Lumens Brightness
- 1024 x 768 XGA Resolution; Enhance your image with 1024 x 768 resolution and native 4:3 aspect ratio that also supports 16:9 wide format input.
- 1800:1 Contrast Ratio
- DLP® and BrilliantColorTM Technology
- 300 inches Maximum Projection Size
- 1.18 kg Ultra-Portable

### Projector M409WX

Widescreen projector: Ultra mobile, ultra light projector. Cutting edge design in a compact frame

- High Brightness 2000 ANSI Lumens.
- 1280 x 800 WXGA Resolution; Deliver native 16:10 widescreen format in high-quality WXGA resolution. Auto sync up to 1600 x 1200 UXGA.
- 2000:1 Contrast Ratio (Full On / Full Off)
- DLP® and BrilliantColorTM Technology - With 16.7 million vibrant colours
- 39 Feet (12 Meter) Maximum Screen Projection
- Ultra-Portable 1.18 kg
- Quick Shut Down Feature

### Projector 1409X

Deliver big presentations every time: Superior colour accuracy, digital connectivity and built-in 8W speaker

- 2500 ANSI Lumens Brightness
- 1024 x 768 XGA Resolution Improve image detail and sharpness with 63% more pixels than SVGA (800 x 600) resolutions
- 1900:1 Contrast Ratio (Full On / Full Off)
- DLP® and BrilliantColor TM Technology
- Large Projection Size At 12 meters distance, the 1409X projects all your big ideas up to 302.8 inches maximum size

# Dell Projectors

## High performance features and connectivity

### Projector 1609WX

Widescreen projector: Deliver big presentations every time, Superior colour accuracy, digital connectivity and built-in 8W speaker

- High Brightness of 2500 ANSI Lumens.
- 1280 x 800 WXGA Resolution - Deliver native 16:10 widescreen format in high-quality WXGA resolution. Auto sync up to 1600 x 1200 UXGA
- 1900:1 Contrast Ratio (Full On / Full Off)
- DLP® and BrilliantColorTM Technology
- 39 Feet and 12m Maximum Screen Projection
- Portable 2.25 kg
- Extensive Connectivity - The versatile 1609WX offers Dual VGA, DVI – D, S-Video, Composite Video, Component Video via VGA and RS232 connectivity options.

### Projector 2400MP

Affordable Advanced Presentation Solution

- 3000 ANSI Lumens
- 1024 x 768 (XGA)
- Contrast Ratio 2100:1
- Dimensions: 274x212x101mm
- Weight 2.5kg
- comes with all the items: Carrying bag, remote control, power cord, VGA cable (D-sub to D-sub), S-Video cable, USB cable, composite Video cable, D-sub to YPbPr cable, RCA to audio cable, mini-pin to mini-pin cable

### Projector 5100MP

High-performance features and connectivity

- Brilliant 3300 ANSI Lumens (Max)
- Native SXGA+ (1400 x 1050) resolution, with auto synchronization up to UXGA (1600 x 1200)
- Super high 2500:1 contrast (Full On/Full Off)
- Weighs just 3.72Kg and measures 330mm x 115mm x 261mm in size

# Dell Laser Printers

## Printer solutions for all jobs



### All-In-One V105

Fast print, scan copy all-in-one device

- **Ports:** USB(cable not included)
- **Resolution:** Up to 4800 x 1200 dpi
- **Functions:** Copier
- **B&W Print Speed:** Prints Up to 19 ppm A4
- **Colour Print Speed:** Prints Up to 15 ppm A4
- **Low Ink:** Dell Ink Management System™
- **Scanner Resolution:** Up to 600 x 1200 dpi

### All-In-One V305

Fast print, scan copy all-in-one device

- **Ports:** 1 USB 2.0 (cable not included)
- **Resolution:** Up to 4800 x 1200 dpi
- **Functions:** Scan, copy and direct photo printing
- **B&W Print Speed:** Prints Up to 21 ppm A4
- **Colour Print Speed:** Prints Up to 16 ppm A4
- **Low Ink:** Dell Ink Management System™
- **Scanner Resolution:** Up to 1200 x 2400 dpi

### Laser 5210n

Designed specifically for the monochrome printing needs of medium and large workgroups, the Dell Workgroup Laser Printer 5210n combines fast, crisp output quality with a low total cost of printing

- **B&W Print Speed:** 38 ppm
- **Resolution:** 1200 x 1200 dpi
- **Memory:** 64MB - 576MB
- **Monthly Duty Cycle:** 200,000 pages
- **Capacity:** 600 sheet input tray (upgradable to 2,600 total)
- **Connectivity:** USB 2.0 & Parallel & 10/100 Ethernet std

### Laser 5310n

Designed specifically for the monochrome printing needs of large workgroups, the Dell Workgroup Laser Printer 5310n combines very fast print speeds with crisp, quality output and a low total cost of printing

- **Resolution:** 1200 x 1200 dpi
- **Management:** Dell Toner Management System™
- **Memory:** 128 MB standard, 640 MB maximum
- **TMPV:** Typical monthly print volume of 4000-16000 pages
- **Monthly Duty Cycle:** Up to 250 000 pages
- **Processor:** 533 MHz
- **Support:** 24 x 7 online Technical Support:1-year Next Business Day Onsite service
- **Print Speed:** Up to 47 A4 pages per minute(ppm)
- **Connectivity:** Hi-Speed USB 2.0 port, IEEE 1284-B compliant parallel port, Ethernet port (cables not included)

# Dell Laser Colour Printers

## Printer solutions for all jobs

### Laser Colour 1320c

With exceptional price performance and low running costs per printed page, the 1320c is as reliable as a mono laser printer and easily adaptable to your growing business

- **Resolution:** 600 x 600 dpi
- **Processor:** 333 MHz
- **Memory:** 64MB
- **Paper Input:** 250 sheet
- **Monthly Duty Cycle:** 35,000 pages
- **Ports:** USB 2.0 port (Type B connector, High speed supported), optional Ethernet 10/100 BaseT network adaptor sold separately. Cables not included.
- **Print Speed:** Prints up to 16 A4 pages per minute (ppm) in monochrome and up to 12 A4 pages per minute(colour)
- **TMPV:** Typical monthly print volume of 400-1200 pages
- **Management:** Dell Open Manage™ Printer Manager; Dell Printer Configuration Web Tool ; Dell Colour Track™ 2 and Dell Toner Management System™
- **Networking:** Optional

### Colour Laser 5110cn

Fast, high-quality colour laser printer, offering high-speed colour and monochrome A4 printing, networking and automatic duplex (print both sides) as standard.

- **Print speed:** 40, 35 ppm (monochrome/color)
- **Resolution:** 600 x 600 dpi
- **Processor:** 400MHz
- **Memory:** 128 MB - 1152 MB
- **Monthly duty cycle:** 95,000 pages
- **Capacity:** 650 sheet input tray (upgradeable to 2150 total)
- **Duplex:** standard
- **Connectivity:** USB 2.0 & Parallel & 10/100 Ethernet

### Colour Laser 3110cn

Designed for departmental or workgroup use, with networking as standard, this mid-range colour laser printer offers crisp high-speed printed output in colour or monochrome.

- **Print speed:** 30, 17 ppm (monochrome/color)
- **Resolution:** 600 x 600 dpi (2400 IQ)
- **Processor:** 400MHz
- **Memory:** 128 MB - 1152 MB
- **Monthly duty cycle:** 60,000 pages
- **Capacity:** 250 sheet input tray (upgradeable to 550 total)
- **Duplex:** optional
- **Connectivity:** USB 2.0 & Parallel & 10/100 Ethernet

m@dd®
electronics group

# www.pcmadd.com

**Cluj Napoca - Magazin & Depozit**

str. Emil Petrovici, nr. 16
jud. Cluj, cod 400041
Tel./ fax: 0264.433.114, 0364. 101.060
Mobil: 0744 590953

e-mail: comercial@pcmadd.com

dept. tehnic: 0748.117.019
e-mail: tehnic@pcmadd.com

**Bucureşti - Magazin 1**

str. Hristo Botev, nr.10
Sector 3
tel. / fax: 031.10.10.601
021.31.51.119
mobil: 0748.117.018
0726.904.654

e-mail:
bucuresti@pcmadd.com

**Bucureşti - Magazin 2**

str. Calea Vacaresti, nr.220-224
Sector 4
tel./fax: 021.33.00.116

mobil: 0752.190.186

e-mail:
bucuresti2@pcmadd.com

**Iasi - Magazin**

str. Păcurari, nr.124
tel./ fax: 0232.277.322
0332.101.060

mobil: 0749.941.536

e-mail:
iasi@pcmadd.com

**Timişoara - Magazin**

str. Socrate, nr. 2
tel. / fax 0256.202.275
0356.100.697

mobil: 0752.190.190

e-mail:
timisoara@pcmadd.com

ECOTIC.ro

www.ecotic.ro

DELL